2023 PPE CATALOGUE PERSONAL PROTECTIVE EQUIPMENT



CONTENTS

Our fastest-moving products from our comprehensive portfolio of Personal Protective Equipment (PPE) are featured in this short-form catalogue.

If you cannot see what you are looking for, please contact with us via +49 40 4806 14 0 or send your inquiries to us via <u>inquiries@apa-kandt.de</u>.

Respiratory Protection	Page 3
Head, Face and Ear Protection	Page 6
Protective Clothing	Page 10
Hand Protection	Page 13
Foot Protection	Page 16
Safety Items	Page 18

ABOUT US

APA-KANDT, a member of the Melchers Group, founded in Hamburg, Germany in 1968 and looking back on a more than 50-year long company history stands for reliability and broad experience in the Eastern European and Central Asian markets.

We are dedicated to providing the highest quality products and most economic prices.

Stable quality as well as best cost/performance is ensured through long established partnerships with experienced manufacturers.

For inquiries: P +49 40 48 06 14 0 E inquiries@apa-kandt.de



RESPIRATORY PROTECTION

RESPIRATORY PROTECTION

Full Face Mask



Description

- TRP material
- Organic gases and vapours
- . Equipped with a standard thread connection
- Cartridge or filter is not included

Application

Gray

• Filter type: Mist, Dust Vapour, Gas

Half Face Mask - Double, Single



Description

- Respirators with natural rubber.
- Cartridge is not included
- Suitable cartridge is available

Application

• Filter type: Dust, Oxygen Deficiency

Black

Respiratory



Description

- Dust cartridge
- Organic vapor
- Anti painting or spray

RESPIRATORY PROTECTION

CE FFP1 Original Mask, Carbon Valve Mask



Description

- CE EN149: 2001 +A1: 2009 FFP1 NR D standard mask, PP layer provide smooth lining
- Latex free rubber head strap
- Cone type design ensure compatibility of glasses or goggle
- With adjustable metal nose pad

Application

Type: with carbon layer, with valve, with anti-acid gas blue layer

CE Flat Fold Type, Disposable Mask



Description

- Against solid and liquid aerosols according to EN149: 2001
- Suitable for protection against non-toxic harmful materials in concentrations up to 4 x OEL or 4 x APF
- CE Standard: FFP1, FFP2, FFP3

Application

textile industry, craft work, iron and steel industry, mining, underground civil engineering and woodworking, etc. Type: with carbon layer, with valve, with anti-acid gas blue layer

N95 Cone Type Mask



Description

- NIOSH N95 standard, filtration 95% efficiency against particulate aerosols. No metal used.
- Cone type mask with adjustable metal nose pad, double shell made to withstand hot and humid condition.
- Latex free rubber head strap. Contour design ensures the compatibility of glasses/goggle and reduces fogging.

Application

CV: mask with "carbon layer" and "valve"



HEAD, FACE AND EAR PROTECTION

HEAD & FACE PROTECTION

Safety Helmet Description (ANSI CE · High density impact resistant PP cap • Standard suspension CS-2 (4 points, PE, pin-lock system) • CE EN397, LD, 440V and EN50365 certificated LSM-904 ANSI CE ANSI Z89.1 tested LSM-901N Other suspensions/color are available Application • Protect against falling objects and high visibility in dark areas Orange Yellow Green Dark Blue(White Red

Face Shield



Description

- Durable Nylon adjustable ratchet headgear with mesh/PV visor
- Visor size 8" x 13.5"
- CE and ANSI available

Application

• Resistant to medium energy impact, metal machining, dust, chemicals, liquid splashes.

Welding Helmet



Description

- PP shell, lift up style (up)
- Rear handle inside helmet (down)
- Lens size: 4x1/4" x2"
- CE EN175, ANSI Standard

Application

• Attach to safety peak cap. Adjustable frame allows visor to be lifted without being removed.

EAR PROTECTION

Ear Muff



Description

- Foldable robust design earmuff
- HIPS cup with soft PVC cushion
- ANSI NRR: 34dB
- CE EN352 SNR: 30.4dB

Red

Also available with higher noise reduction

Application

Yellow

• For use in industrial areas, high pressure steaming, machining, grinding and woodwork.

Radio Earmuff



Description

- Light weight and palm size, excellent noise reduction
- Frequency range FM-88-108MHz, which allows free and flexible reception in working area
- HIPS cup and soft PVC cushion
- CE and ANSI standard available. NRR: 25dB/SNR: 28dB

Application

Ideal in industrial training, machining, grinding, steel cutting and woodwork



PU Ear Foam and Rubber Earplugs



Description

- · Excellent noise reduction
- Disposable PU ear foam, one size fit all
- SNR: 34dB and NRR: 32dB, ANSI and CE standard
- Triple mushroom design
- Soft synthetic rubber earplugs
- NRR: 25dB SNR:25dB, ANSI and CE standard

Application

• To be used in very loud environments.

Orange 🔶 Yellow

EYE PROTECTION

Safety Goggle



Description

- Soft PVC frame, PC lens, indirect vents on top and bottom.
- Anti-chemical liquid, dust and impact
- Size: MSG-234 (W)15.3x(H)8 cm
- Lens also available in anti-fog treatment
- CE EN166 or ANSI Z87.1 standard available

Application

For use in general workshops and grinding

Clear

Safety Spectacle



Description

- Adjustable leg length and angle inclination eyewear
- One piece lens and nylon frame
- Conforms to ANSI Z87.1
- Brow guard and side shield protection
- · Can fit with reading glasses, adjustable leg length and angle

Application

Clear

Ideal in industrial training, machining, grinding, steel cutting and woodwork





Description

· Lift front style, indirect vents

Smoe

- Green PVC frame, black ABS lens frame
- Lens shade #5 or #11
- CE EN175 & ANSI Z87.1 are available

Application

For use in construction, mining, milling, engineering workshops, factories, welding, warehouse and general industries.



PROTECTIVE CLOTHING

PROTECTIVE CLOTHING

Safety Harness



Description

- Adjustable buckles in chest, shoulder and thigh
- Forged aluminum dorsal D-ring for fall arrest
- Front attachment textile loops for fall arrest
- CE standard

Application

For protection against falls from heights in industrial and construction activities

Reflective Vest



Description

- 100% polyester, silver reflective tape
- Color in lemon yellow or orange
- Size: S, M, L, XL or customized

Application

• Where high visibility is required.



PVC Rain Suit



Description

• Rain suit

Features

- PVC
- Elasticated cuff with Hood
- Draw string waist
- Size: S 5XL

Application

• Protective clothing against wet conditions. Protects against mild acids and chemicals.

Orange Yellow

PROTECTIVE CLOTHING

Flame and Acid Resistant Suit



Description

- Reflective tape for increased visibility
- Size: 300/310gsm 100% Cotton
- Triple stitched added strength
- Brass zips
- Bar tacks on stress points
- Elasticated waist band for comfort
- Size: 28-68 (jacket); Size: 24-66 (pants)

Application

- Suitable for use in Petrochemical, oil and gas agriculture, mining industry, industrial use, maintenance and repairs including installations.
 - Navy Blue

Full Overall Boiler Suit



Description

- Polycotton material
- 220/230 gsm fabric, 100% cotton
- Enclosed buttons
- Triple stitched for added strength
- Bar tacks on stress points
- Colours: White, Navy, Grey and customized
- Sizes: 28-52

Application

• Suitable for use in welding, construction and boiler shop work.



HAND PROTECTION

HAND PROTECTION

Cray Fish Gloves



Description

Polycotton knitted glove with rubber palm coating

Application

To be used as a general handling glove providing excellent abrasion protection and superior grip Not to be used for heat resistant applications

Welding Gloves (Wrist or Elbow)



LCE-141

Description

- Welding gloves
- No lining, normal stitched
- 2.5 inch length wrist gloves; 8 inch length elbow gloves

Application

Suitable for assembly, construction, fabricating, landscaping, maintenance, metal working, and mining

Welding Gloves (Candy Striped)



Description

- Wrist length candy striped chrome leather gloves
- · Leather palm with striped canvas backing

Application

Suitable for assembly, construction, fabricating, landscaping, maintenance, metal working, and mining

LCS-144

HAND PROTECTION

Nitrile Chemical Gloves



Description

- Chemical-Resistant Gloves
- Material: Nitrile
- Length: 13 inch
- Size: M 2XL

Application

Preparing and spraying chemical mixtures Handling solvents and cleaners Handling plumbing chemicals

Latex Gloves



Description

Green

- Natural latex
- Packing: 1 pair/ polybag, 240 pairs/ carton

Application Cleaning/ household/ laboratory, general purpose/ PPE industry





FOOT PROTECTION

FOOT PROTECTION

Rain Boots



Description

- PVC uppers for optimum flexibility and abrasion resistance
- Slip-resistant sole
- · Light in weight for enhanced confort and reduced fatigue
- Nylon liner allows for easy cleaning and quick drying
- Antistatic and water-tight

Application

Ideal for slip area and food preparation area



Safety Shoes



Description

- Standard: EN 20345:2011 S3
- Upper made of leather
- Breathable leather liner
- Protective cap made of steel
- Penetration protection through steel midsole
- TPU/PU outsole
- Special walking comfort due to a very soft leather cover sole

Application

Ideal for the construction industry.



Safety Boots



LSB-152

Description

- Standard: EN 20345:2011 S3
- Upper made of leather
- Breathable leather liner
- Protective cap made of steel
- Penetration protection through steel midsole
- TPU/PU outsole
- . Special walking comfort due to a very soft leather cover sole

Application

Ideal for the construction industry.

Black



SAFETY ITEMS

MARINE SAFETY

Lifebuoy



Description

- Material: HDPE (outside); hard PU (inside)
- Inner diameter: 440±5 mm
- Outer diameter: 720±5 mm

Red

- Weight: 2.5 kg
- Buoyancy: >/= 143 N

Application

Orange

For all boats and an advantage for land-based applications



SOLAS Life Jacket



Description

- Material: EPE foam
- Cover fabric: 200D polyster
- User's weight: 43-140 kg
- Buoyancy: 150 N
- Reflective tape: 400 cm2 SOLAS reflective tape
- Accessories: lifting loop, buddy line, whistle

Application

Offshore, passenger ships and cargo ships



Marine Inflatable Life Jacket



Description

- Material of bladder: nylon and TPU
- Cover material: 420D Polyester Oxford Fabric/Neoprene
- Buoyancy: 150N/275N
- Inflatior: auto/manual; inflation time: 3s to 5s
- · Wear-resisting & water repellent

Application

For sailing, marine, life saving



ROAD SAFETY

Traffic Cone



Description

- Durable, strong, flexible traffic cone
- LTC-45: 45cm (H), 27x27cm base, with one reflective tape, weight 1.25 kg
- LTC-70: 70cm (H), 36.5x36.5cm base, with one tape or two reflective tape, weight 2.5 kg

Warning Triangle



Description

- Size: 43cm X 43cm X 43cm
- Weight: 1.2kg
- High visible
- CE approval
- Easy to carry and storage in car

Warning Beacon



Description

- Material: PP + PC + ABS
- LST-355: Length: 30.2 cm; Diameter:18 cm
- LST-351: 7.2 * 15.3 cm/160g
- Function: single flashing-warning; flashing-steady-closed
- Battery: solar panel; LED number: 4 pieces

Yellow 🔴 Red

ROAD SAFETY

Road Stud



Description

- High quality reflective markers for road safety
- Material: impact resistant plastic
- Size (L*W*H): 10 X 10 X 1.8 cm

Warning Tape



Description

- Size (W*L): 48 x 20 cm
- Different color and types are available









APA-KANDT Personal Protective Equipment

Experienced. Reliable. Forward-looking. Since 1968.

APA-KANDT.



A MEMBER OF THE MELCHERS GROUP



A Weidestraße 122c · 22083 Hamburg, Germany
P +49 40 48 06 140 · F +49 40 48 061 416
www.apa-kandt.de · office@apa-kandt.de

in linkedin.com/apa-kandt-official