

2023 PLYWOOD



APA KANDT

CONTENTS

APA-KANDT's collection of plywood satisfies all the demands of general use. APA-KANDT's quality guarantees the adaption to all applications.

Plywood consists of the face, core, and back. The face is the surface, which is visible after installation, while the core lies between the face and back. Thin layers of wood veneers are glued together with a strong adhesive. Each layer is oriented with its grain perpendicular to the adjacent layer. Plywood as a building material is generally formed into large sheets. We provide a wide choice of sizes, gluing and standards.

Premium

Core Eucalyptus, Type Select Plus 1	Page 4
Core Birch, Type Select Plus 2	Page 5
Core Hardwood, Type Select 1	Page 6
Core Hardwood, Type Select 2	Page 7

Standard

Core Hardwood & Poplar, Type Standard 1	Page 8
Core Hardwood, Type Standard 2	Page 9

Basic

Core Poplar, Type Eco Plus	Page 10
Core Poplar, Type Eco	Page 11

Unfilmed

Core Hardwood, Type UNP 1	Page 12
Core Hardwood & Poplar, Type UNP 2	Page 13

Other info

Packing & Loading (Standard packing)	Page 14
--------------------------------------	---------

ABOUT US

APA-KANDT, a member of the Melchers Group, founded in Hamburg, Germany in 1968 and looking back on a more than 50-year long company history stands for reliability and broad experience in the Eastern European and Central Asian markets.

We are dedicated to providing the highest quality products and most economic prices.


Stable quality as well as best cost/performance is ensured through long established partnerships with experienced manufacturers.

For inquiries:

P +49 40 48 06 14 0

E inquiries@apa-kandt.de

PREMIUM




Type	Select Plus 1
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Eucalyptus
Film	Imported Phenolic Film
Glue Type	72 hours WBP Glue

PREMIUM



Type	Select Plus 2
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Birch
Film	Imported Phenolic Film
Glue Type	24 hours WBP Glue

PREMIUM




Type	Select 1
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Hardwood
Film	Imported Phenolic Film
Glue Type	24 hours WBP Glue

PREMIUM




Type	Select 2
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Hardwood
Film	Imported Phenolic Film
Glue Type	10 hours WBP Glue

STANDARD



Type	Standard 1
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Hardwood & Poplar
Film	Imported Phenolic Film
Glue Type	24 hours WBP Glue

STANDARD



Type	Standard 2
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Hardwood & Poplar
Film	Imported Phenolic Film
Glue Type	10 hours WBP Glue

BASIC



Type	Eco Plus
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Poplar
Film	Imported Phenolic Film/Local Brown
Glue Type	24 hours WBP Glue

BASIC



Type	Eco
Standard Size	L2500*W1250/L2440*W1220 mm
Thickness	12/16/18/21 mm or on request
Core	Poplar
Film	Imported Phenolic Film/Local Brown
Glue Type	10 hours WBP Glue

UNFILMED



Type	UNP 1
Standard Size	L2440*W1220 mm or requested
Thickness	12/16/18/21 mm or on request
Core	Hardwood
Film	None
Glue Type	24 hours WBP Glue

UNFILMED



Type	UNP 2
Standard Size	L2440*W1220 mm or requested
Thickness	12/16/18/21 mm or on request
Core	Hardwood & Poplar
Film	None
Glue Type	10 hours WBP Glue

OTHER INFO.

Packing & Loading (Standard packing)

Size: 2500 x 1250 mm

Container (sheets)	20'GP	40'GP	40'HQ
12 mm	600	1200	1293
16 mm	456	912	970
18 mm	400	800	865
21 mm	344	688	766

Size: 2440 x 1220 mm

Container (sheets)	20'GP	40'GP	40'HQ
12 mm	600	1200	1359
16 mm	456	912	1020
18 mm	400	800	906
21 mm	344	688	777

**Experienced.
Reliable.
Forward-looking.
Since 1968.**

APA-KANDT.



A MEMBER OF THE MELCHERS GROUP



A Weidestraße 122c · 22083 Hamburg, Germany

P +49 40 48 06 140 · **F** +49 40 48 061 416

www.apa-kandt.de · office@apa-kandt.de

 [linkedin.com/apa-kandt-official](https://www.linkedin.com/company/apa-kandt-official)